Campbell et al.

Application No.: 10/692,979 Filed: October 24, 2003

Page 2

In the Claims:

This Listing of Claims shall supersede all prior listings of claims submitted in this

application.

Listing of Claims:

1. (Previously Presented) A method of killing ectoparasites on a subject, said

PATENT

Attorney Docket No.: PIED1110-1

method comprising:

topically administering an alcohol-free, insecticide-free composition to an area on

the subject where ectoparasites are present, wherein the composition comprises a fatty

acid ester effective for killing said ectoparasites within an hour of contact when used as

the sole killing agent in a concentration of at least 10% w/w, and wherein further the ester

is of a fatty acid selected from the group consisting of myristate, laurate, palmitate,

stearate, arachidate, behenate, lignocerate, palmitoleate, oleate, linoleate, linolenate, and

arachidonate.

2. (Previously Presented) The method according to claim 1, wherein said

ectoparasites are selected from the group consisting of lice, mites, ticks, and fleas.

3. (Previously Presented) The method according to claim 2, wherein the

subject is a mammal.

4. (Previously Presented) The method according to claim 3, wherein the

mammal is a human and the ectoparasites are head lice.

5. (Canceled)

6. (Canceled)

7. (Canceled)

WEST\20430551.1

Campbell et al.

Application No.: 10/692,979

Filed: October 24, 2003

Page 3

8. (Previously Presented) The method according to claim 1, further comprising a cyclic siloxane carrier, wherein the cyclic siloxane is selected from the group consisting of decacyclomethicone, octametylcyclomethicone, cyclotetrasiloxane, cyclopentasiloxane, cyclohexasiloxane, and decamethylcyclopentasiloxane.

PATENT

Attorney Docket No.: PIED1110-1

- 9. (Previously Presented) The method according to claim 1, wherein said fatty acid ester is isopropyl myristate.
- 10. (Previously Presented) The method according to claim 8, wherein said cyclic siloxane is decacyclomethicone.
- 11. (Previously Presented) The method according to claim 8, wherein said fatty acid ester is isopropyl myristate and said cyclic siloxane is decacyclomethicone.
- 12. (Previously Presented) A method of killing ectoparasites on a subject, said method comprising:

topically administering to an area on the subject where ectoparasites are present a an insecticide-free composition comprising a fatty acid ester effective for killing said ectoparasites within an hour of contact when used as the sole killing agent in a concentration of at least 10% w/w, wherein the ester is of a fatty acid selected from the group consisting of consisting of myristate, laurate, palmitate, stearate, arachidate, behenate, lignocerate, palmitoleate, oleate, linoleate, linolenate, and arachidonate;

and wherein further the ectoparasites are killed by dehydration following stripping of wax from their cuticles.

13. (Previously Presented) The method according to claim 12, wherein said ectoparasites are selected from the group consisting of lice, mites, ticks, and fleas.

Campbell et al.

Application No.: 10/692,979

Filed: October 24, 2003

Page 4

14. (Previously Presented) The method according to claim 13, wherein the

subject is a mammal.

15. (Previously Presented) The method according to claim 14, wherein the

PATENT

Attorney Docket No.: PIED1110-1

mammal is a human and the ectoparasites are head lice.

16. (Previously Presented) The method according to claim 14, wherein the

mammal is a dog or cat and the ectoparasites are fleas or ticks.

17. (Canceled)

18. (Canceled)

19. (Previously Presented) The method according to claim 12, further

comprising a cyclic siloxane carrier, wherein the cyclic siloxane is selected from the

group consisting of decacyclomethicone, octametylcyclomethicone, cyclotetrasiloxane,

cyclopentasiloxane, cyclohexasiloxane, and decamethylcyclopentasiloxane.

20. (Previously Presented) The method according to claim 12, wherein said

fatty acid ester is isopropyl myristate.

21. (Previously Presented) The method according to claim 19, wherein said

cyclic siloxane is decacyclomethicone.

22. (Previously Presented) The method according to claim 19, wherein said

fatty acid ester is isopropyl myristate and said cyclic siloxane is decacyclomethicone.

23. (Canceled)

24. (Canceled)

WEST\20430551.1 365131-000014

Campbell et al. Application No.: 10/692,979

Filed: October 24, 2003

Page 5

- 25. (Canceled)
- 26. (Canceled)
- 27. (Canceled)
- 28. (Canceled)
- 29. (Canceled)
- 30. (Canceled)
- 31. (Canceled)
- 32. (Previously Presented) The method of claim 1 or claim 12, further comprising the step of combing killed ectoparasites out of the subject's hair with a nit comb.

PATENT

Attorney Docket No.: PIED1110-1

33. (Canceled)